

# Invitation for Bids IFB-4645-19-SH

# UTILITY BUCKET TRUCK WITH AERIAL DEVICE

#### **RESPONSES DUE:**

June 6, 2019 Prior to 3:00 P.M. Local Time

# Accepting Electronic Responses Only Responses Only Submitted Through the Rocky Mountain EPurchasing System

www.bidnetdirect.com/colorado

(Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor <u>MUST</u> contact RMEPS to resolve issue prior to the response deadline. 800-835-4603).

### **PURCHASING REPRESENTATIVE:**

Susan Hyatt Phone (970)244-1513 susanh@gjcity.org

This document has been developed specifically to solicit competitive responses for this solicitation, and may not be the same as previous City of Grand Junction solicitations. All vendors are urged to thoroughly review this solicitation prior to responding. Submittal by **FAX, EMAIL OR HARD COPY IS NOT ACCEPTABLE** for this solicitation.

## **Table of Contents**

Section I. INTRODUCTION

Section II. INSTRUCTION TO BIDDERS

Section III. GENERAL TERMS AND CONDITIONS

Section IV. SPECIFICATION/COMPLIANCE FORM

Section V. BID FORM

#### SECTION I. INTRODUCTION

- **A. Purpose:** The Owner is interested in purchasing **One** (1) **New Utility Bucket Truck with Aerial Device.** In comparing responses, consideration will not be confined to price only. The successful vendor will be one whose product is judged to best serve the interests of the Owner.
- **B.** The Owner: The Owner is the City of Grand Junction, Colorado and is referred to throughout this Solicitation. The term Owner means the Owner or his authorized representative.

#### C. Timeline:

•	Invitation for Bids Available	May 10, 2019
•	Last Day for Questions, prior to 12:00 PM MST	May 22, 2019
•	Addenda Issued (If required) by:	May 23, 2019
•	Responses Due prior to 3:00 P.M.	June 6, 2019

#### SECTION II. INSTRUCTIONS TO BIDDER

A. Equipment Details and Literature Required: Each bid shall be submitted in electronic format only, and only through the BidNet Colorado website (www.bidnetdirect.com/colorado). This site offers both "free" and "paying" registration options that allow for full access of the Owner's documents and for electronic submission of proposals. (Note: "free" registration may take up to 24 hours to process. Please Plan accordingly.) Please view our "Electronic Vendor Registration Guide" at <a href="www.gicity.org/business-and-economic-development/bids">www.gicity.org/business-and-economic-development/bids</a> for details. (Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor <a href="MUST">MUST</a> contact RMEPS to resolve issue prior to the response deadline. 800-835-4603). All bids must be accompanied by specification sheets and/or descriptive brochures showing the detailed specifications of the equipment you propose to furnish for the bid price. All equipment will be furnished with all standard equipment as described by the literature presented with the bid proposal. References to items shown on the literature, which the bidder does not intend to supply, must be so noted in writing as an amendment to the literature. It is the bidder's responsibility to provide specific equipment details to permit proper evaluation of the bid; failure to do so may result in disqualification of the bid.

The body, finish, fittings and all components shall be the latest and most current model, and shall not have been used as a demonstrator or any other service, and shall be factory standard in all respects not in conflict with the attached Owner bid specifications. If the Owner is interested in a demonstrator, such information will be supplied in the bid specifications.

The design of the vehicle/equipment must be such that it does not hamper or restrict subsequent installation and use of emergency equipment, such as emergency lights and backup alarms.

When specifications for particular items are not defined, manufacturer's standards are satisfactory, provided the item is required for the proper performance of the equipment.

- **B.** Emissions Standards: As applicable by law: Vehicles/Equipment must be supplied with manufacturer's standard equipment and all devices necessary to be in compliance with the most current State of Colorado code, and the Federal Motor Vehicle Safety Standards. Vehicle must comply with all Federal and Colorado motor vehicle pollution control requirements and be capable of passing State emissions tests. Delivery must include any EPA documentation. Vehicles and/or Equipment not meeting the aforementioned standards will not be accepted.
- **C. Error and Omissions:** If the bidder discovers any errors, omissions, lack of clarity or desires further information about the specifications, the Purchasing Representative should be contacted immediately.

- **D.** Guarantee: All equipment, units and components shall be guaranteed in accordance with the following clauses:
  - a. Guarantee that the equipment offered is free from defects in design and construction and that it will give continuous and efficient service under normal conditions for the duration of the warranty period.
  - b. Guarantee that the equipment or vehicle is the manufacturer's standard design in construction and that no changes or substitutes have been made, unless otherwise stated.
- **E.** Warranty: All equipment bids must include the manufacturer's standard warranty, and this information shall be provided with the bid. Additional or extended warranties may be requested; if so, specific warranty information must be provided with the bid. The warranty period shall commence after the equipment/vehicle is received and accepted by the Owner, unless special provisions are made with the successful provider.
- **F. Operating/Maintenance Instruction:** Where specifically requested in the specifications, the bidder/supplier will instruct a given number of Owner employees in the operation and maintenance of equipment. The instructions shall be of the scope and length to orient personnel in: operating techniques, safety precautions, frequent inspection and servicing requirements, mechanical adjustments and repairs unique to the equipment or vehicle. Instructions will be required at the Owner site specified and provided on a schedule arranged after delivery of the equipment. If available, manufacturer shall provide an operational safety video for specialty equipment (chippers, stump cutters, leaf machines, etc.) Instruction schedules will be agreed to prior to invoice payment.
- **G. Delivery Date**: All bids must be submitted with a delivery date.
- **H. Pre-delivery**: Prior to delivery, new equipment/vehicle must be completely serviced in accordance with standard new vehicle "Make Ready" and to the manufacturer's specifications.
- **I. Delivery**: All costs for delivery of the new unit will be assumed by the Bidder and included in the net price. Unless stated elsewhere in this bid document, all deliveries will be made to the City of Grand Junction, Fleet Services, 333 West Avenue, Building C, Grand Junction, CO 81501.
- **J. Prices**: Prices quoted shall exclude Federal Excise and State taxes. Prices quoted shall be F.O.B. City of Grand Junction, CO 81501.
- **K. Final Payment**: Final payment for equipment and vehicles delivered under these specifications will not be made until all terms and conditions have been satisfied.
- **L. Bid Evaluation Criteria**: The evaluation of this bid will be based on, but not limited to, the following: Compliance with specifications; proven performance; ease of operation, life-cycle cost, net cost, supplier performance history; delivery time; compatibility with existing equipment, parts or supplies; service/parts availability; and, advantageous superior design features.
- **M. Repair and Parts Manuals**: An *Operator's and Service manual* will be supplied with each new unit, except when units are duplicate orders and then only one of each is required. Manuals must be received prior to payment. Whenever available, the Owner prefers the manual in a CD format.
- **N. Additional Information**: For information concerning the bid process, please contact the Purchasing Department at (970) 244-1533 or check the City of Grand Junction web page at <a href="www.gicity.org">www.gicity.org</a>. Copies of this bid document can be obtained online electronically on Bidnet at <a href="www.bidnetdirect.com/colorado">www.bidnetdirect.com/colorado</a>, from the Purchasing Division, **250 North 5<sup>th</sup> Street, Grand Junction, CO 81501, 970-244-1533**, or on the City of Grand Junction website, <a href="www.gicity.org/business-and-economic-development/bids">www.gicity.org/business-and-economic-development/bids</a>, click on "Bids".
- **O. Manufacturer's Statement of Origin:** The new Unit shall be delivered with the Manufacturer's Statement of Origin (MSO). Failure to provide MSO shall be grounds to refuse to accept vehicle.

P. **Title:** The awarded supplier shall provide Title work for the new vehicle within 10 days after the receipt of payment from the Owner.

<u>For City Purchases</u>, mail or deliver the Title to: Fleet Services, 333 West Avenue, Building C, Grand Junction, CO 81501. If a problem arises in obtaining the Title within the 10 day window contact Tim Barker in Fleet Services at (970)-244-1532, or via E-mail <u>timba@gicity.org</u>. Name on title shall read "**City of Grand Jctn**".

#### SECTION III. GENERAL TERMS AND CONDITIONS

A. Submission of Bids: Each bid shall be submitted in electronic format only, and only through the Rocky Mountain E-Purchasing website (www.bidnetdirect.com/colorado). This site offers both "free" and "paying" registration options that allow for full access of the Owner's documents and for electronic submission of proposals. (Note: "free" registration may take up to 24 hours to process. Please Plan accordingly.) Please view our "Electronic Vendor Registration Guide" at <a href="www.gjcity.org/busines-and-economic-development/bids">www.gjcity.org/busines-and-economic-development/bids</a> for details. (Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor <a href="MUST">MUST</a> contact RMEPS to resolve issue prior to the response deadline. 800-835-4603).

No bids will be considered in which the specifications, provisions or conditions of the price proposal have been modified. Bids shall be received and acknowledged only so as to avoid disclosure of process. However, all bids shall be open for public inspection after the contract is awarded. Trade secrets and confidential information contained in the bid so identified by Bidder as such will be treated as confidential by the Owner to the extent allowable in the Open Records Act.

- **B.** Assignment/Contract not used as Collateral: Neither party shall assign or otherwise transfer any of the rights or delegate any of the duties set forth in this contract without prior written consent of the other party. The bidder shall not use this contract, or any portion thereof, for collateral for any financial obligation.
- **C.** Audits/Access to Records: The Owner and any of its representatives shall have access to any books, documents, papers and records of the bidder which are pertinent to this solicitation and prospective contract.
- **D.** Availability of Funds: Any Owner Contract resulting from a submission of a bid shall be deemed executor only to the extent of appropriations available to each Owner Department for purchases of such articles and services. The Owner's extended obligation on those contracts, which envision extended funding through successive fiscal periods shall be contingent upon actual appropriations for the following fiscal year.
- **E.** Award and Purchase: The Owner reserves the right to reject any or all bids, to waive any informalities or technical defects in bids, and unless otherwise specified by the Owner or by the bidder, to accept any items or group of items in the bid, as may be in the best interest of the Owner. No verbal explanations, clarifications, additions or instructions will be binding to either the Owner or the bidders, except those confirmed in writing.

A signed purchase order/contract furnished to the successful bidder results in a binding contract without further action by either party.

- **F. Questions:** Any questions concerning this project shall be directed to: Susan Hyatt at the City of Grand Junction, 250 North 5<sup>th</sup> Street, Grand Junction, Colorado 81501, (970)-244-1513, E-mail <a href="mailto:susanh@gicity.org">susanh@gicity.org</a> between the hours of 8:00 a.m. and 4:00 p.m., Monday through Friday, excluding Holidays. <a href="mailto:ALL QUESTIONS">ALL QUESTIONS</a> MUST BE SUBMITTED IN WRITING.
- **G. Legal Compliance:** The bidder shall keep informed of all Federal, State and local laws; ordinances, regulations and all orders and decrees of bodies or tribunals having any jurisdiction or authority which may affect those engaged or employed on the work or affect the conduct of the work. The bidder shall observe and comply with all such laws, ordinances, regulations, orders and decrees. The bidder shall protect and indemnify the Owner and its representatives against any claim or liability arising from or based on the violation of any such law, ordinance, regulation, order or decree whether by the supplier, subcontractor, supplier or the

supplier's employees or any others engaged by the supplier. The laws of the State of Colorado will govern as to the interpretation, validity and effect for any contract that is entered into as a result of this solicitation. Venue for any lawsuit will be in Mesa County, Colorado.

- **H. Force Majeure:** Neither party shall be liable for failure to perform under this contract if such failure to perform arises out of causes beyond the control and without the fault or negligence of the non-performing party. Such causes may include, but are not limited to, acts of God or the public enemy, fires, floods, epidemics, quarantine restrictions, freight embargoes and unusually severe weather. This provision shall become effective only if the party failing to perform immediately notifies the other party of the extent and nature of the problem, limits delay in performance to that required by the event, and takes all reasonable steps to minimize delays. The provision shall not be effective unless the failure to perform is beyond the control and without the fault or negligence of the non-performing party.
- **I. Indemnification:** The bidder shall release, indemnify and hold harmless the Owner, their officers, agents, employees, successors and assignees from any cause of action, or claims or demands arising out of the Bidder's performance under this contract.
- **J. Gratuities:** The bidder certifies and agrees that no gratuities, kickbacks or contingency fees were paid in connection with this contract, nor were any fees, commissions, gifts or other considerations made contingent upon the award of this contract. If the bidder breaches or violates this warranty, the Owner may, at its discretion, terminate this contract without liability to the Owner.
- **K.** Material Availability: Bidders must accept responsibility for verification of material availability, production schedules and other pertinent data prior to submission of bid and delivery time. It is the responsibility of the bidder to notify the Owner immediately if materials specified are discontinued, replaced or not available for an extended period of time.
- **L. OSHA Standards:** All bidders agree and warrant that services performed in response to this invitation shall conform to the standards declared by the U.S. Department of Labor under the OCCUPATIONAL Safety and Health Act of 1970 (OSHA). In the event the services do not conform to OSHA Standards, the Owner may require the services to be redone at no additional expense to the Owner.
- **M. Non-collusion:** Neither the said Bidder nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, has in any way colluded, conspired, connived or agreed, directly or indirectly with any other bidder, firm or person to submit a collusive or sham bid in connection with the contract for which the attached bid has been submitted or to refrain from bidding in connection with such contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other bidder, firm or person or fix the price or prices in the attached bid or of any other bidder, or to fix any overhead, profit or cost element of the bid price or the bid price of any other bidder, or to secure through any collusion, conspiracy, connivance or unlawful agreement and advantage against the Owner, or any person interested in the proposed contract.

The price or prices quoted in this bid are fair and proper and are not tainted by a collusion, conspiracy, connivance, or unlawful agreement on the part of the bidder or any of its agents, representatives, owners, employees, or parties in interest.

- **N. Public Disclosure Record:** If the bidder has knowledge of their employee(s) or sub-contractors having an immediate family relationship with an Owner employee or elected official, the bidder must provide the Purchasing Representative with the name(s) of these individuals. These individuals are required to file an acceptable "Public Disclosure Record", a statement of financial interest, before conducting business with the Owner.
- **O. Preparation of Bids:** Bidders are expected to examine any drawings, specifications, schedules and instructions included in the bid package. Failure to do so will be at the bidder's risk.

In case of error in the extension of prices in the bid proposal, the unit price will govern. Unit price shown must be net.

- **P. Tax Exemption:** Direct purchases of materials by the Owner are exempt from Colorado State sales or use tax. The bidder certifies that no Federal, State, County or Municipal tax will be added to the price shown on the Proposal Price sheet. An Owner Tax Exemption Certificate will be supplied to the successful bidder upon request.
- **Q. Bids Binding 60 Days:** Unless otherwise specified all formal bids submitted shall be binding for sixty calendar days following the bid opening date unless bidders, at the request of the Owner, agree to an extension.
- **R.** Multiple Bids: Bidders must determine for themselves which product to offer. If said bidder chooses to submit more than one bid, THE ALTERNATE BID must be clearly marked "Alternate Bid." The Owner reserves the right to make award in the best interest of the Owner.
- **S. Brand Names or Equal:** Whenever in this bid invitation any particular materials, process, mechanism, and/or equipment are indicated, described or specified by patent, proprietary, or brand name, or by name of manufacturer, such wording will be deemed to be used for the purpose of facilitating minimum acceptable requirements and will be deemed to be followed by the words, "or equal." At the Owner's discretion, after the bid opening proof satisfactory must be provided by Bidder to show that the alternative product/equipment/vehicle is in fact, equal to specification requirements.

The Owner reserves the right to determine products of equal value. Suppliers will not be allowed to make unauthorized substitutions after award is made.

- **T. Termination of Contract:** If at any time during the performance of the contract awarded as a result of this bid, in the opinion of the Owner, the work is not progressing satisfactorily or within the terms of this contract, then at the discretion of the Owner and after written notice to the supplier, the Owner may terminate the contract or any part of it.
- **U. Modification or Withdrawal of Bids:** A bid that is in the possession of the Purchasing Division may be altered by facsimile, telegram or letter bearing the signature of name of the legal agent for the bidder, provided it is received prior to the time and date of the opening. Alterations should not reveal the price but should indicate the addition, subtraction or other changes in the bid. A bid that is in the possession of the Purchasing Manager may be withdrawn by the bidder up to the time of the bid opening. Bids may not be withdrawn after the bid opening. Failure of the successful bidder to furnish the service awarded from this bid may eliminate the bidder from the active bidder's list.
- **V.** Addenda and Interpretations: If it becomes necessary to revise any part of an Owner bid, a written addendum shall be posted to the BidNetDirect.com/Colorado website. The bidder shall be responsible for obtaining all solicitation documents. The Owner is not bound by any oral representations, clarifications, or changes made in the written specifications by Owner employees, unless such clarification or change is provided in written addendum from the Owner. Receipt of addenda shall be acknowledged by initialing the proposal price sheet in the designated place.
- **W.** Cooperative Purchasing: Purchases as a result of this solicitation are primarily for the Owner. Other governmental entities may be extended the opportunity to utilize the resultant contract award with the agreement of the successful provider and the participating agencies. All participating entities will be required to abide by the specifications, terms, conditions and pricings established in this solicitation.

The quantities furnished in this bid document are for only the Owner. It does not include quantities for any other jurisdiction.

The Owner will be responsible only for the orders placed for our jurisdiction. Other participating entities will place their orders on their respective Purchase Orders through their Purchasing office or use their purchasing card for purchase/payment as authorized or agreed upon between the provider and the individual entity. The

Owner accepts no liability for payment of orders placed by other participating jurisdictions that choose to piggyback on our solicitation.

Orders placed by participating jurisdictions under the terms of this solicitation will indicate their specific delivery and invoicing instructions.

**X. Award:** All bids will be awarded to the lowest responsive and responsible bidder. The Owner reserves the right to determine the lowest responsive and responsible bidder.

The Owner may involve all or some of the following factors: price; conformity to specifications; financial capacity to perform the services and/or provide commodities; previous performance and reputation; location of required and necessary facilities and/or equipment; availability and proximity of repair parts and/or warranty work; similar experience; delivery promise; terms of payments; compatibility as required in the bid documents; other associated and necessary costs; other objective and accountable factors which are reasonable.

**Y.** Inspections: Inspection and acceptance of materials or supplies will be made after delivery. Final inspection shall be conclusive except as regard to latent defects, fraud, or such gross mistakes as amount to fraud. Final inspection and acceptance or rejection of material or supplies shall be accomplished as promptly as practical, but failure to inspect and accept or reject material or supplies shall not impose liability on the Owner for such supplies as are not in accordance with the specifications. All delivered materials shall be accepted subject to inspection and physical count.

#### SECTION IV. SPECIFICATION/COMPLIANCE FORM

MINIMUM SPECIFICATION FOR One (1) New Utility Bucket Truck with Aerial Device. All specifications must be met or exceeded or be considered non-responsive. Include delivery to the City of Grand Junction, 333 West Avenue, Bldg C, Grand Junction, CO 81501. It is the intent of these specifications to describe the cab and chassis. Not all parts and specifications for the mentioned equipment are necessarily provided, however the supplier shall specify a product that will conform in strength and quality of material and workmanship according to the industry standard and not less than this specification. Incomplete responses will not be considered. Bidder shall note any exceptions to the bid on the Comments section. All equipment furnished under this contract shall be new, unused, and the latest model offered by the manufacturer's current production. Accessories not specifically mentioned herein, but necessary to furnish a complete unit ready for use, shall also be included.

	Specifications	Meets	Does Not Meet	Comments
1	Color: Exterior White,			
2	GVWR: 33,000			
3	Indicate Base Chassis Model on Bid Form			
4	Wheelbase: to be determined by body builder			
5	Engine: Minimum 245 HP, diesel			
	Allison 3500_RDS_P or equivalent.			
	Please quote electric hybrid option on Bid Form.			
	Indicate Brand and Model No on Bid Form			
6	Transmission, Automatic: Wide Ratio, 5-Speed with			
	Overdrive: on/off Hwy: Oil level sensor, PTO			
	provision,			
	Indicate Brand & Model No. on Bid Form			
7	Axle, Front Non-Driving; I-Beam Type, 12,000-lb Capacity			
8	Axle, Rear, Single: Dana Spicer 2106D or			
	equivalent Single Reduction, 21,000-lb			
	Capacity, with Driver Control Locking,			
	differential, with 200 wheel ends gear ratio:			
	4:33			
	Indicate Brand & Model No. on Bid Form			
9	Cab: Conventional, Steel			
10	2 each Tire, Front: 11R22.5 x ZE 501 rev/mile,			
	load range G, 14 ply			
11	4 each Tire, Rear: 11R22.5 XDE M/S 498 rev/mile,			
- 10	load range G, 14 ply			
12	Clearance marker lights flush mounted			
13	Coat Hook			
14	Floor covering rubber Glass windows all tinted			
16	Grab Handles			
17	Two (2) steps per door			
18	Arm Rest on Each Door			
19	Air Conditioning with integral heater & defroster			
20	Suspension, RR, Spring, Single: 21,000-lb			
	capacity, with 4500 lb Auxiliary Rubber Spring			

21	Construction Front Continuous de l'account de
21	Suspension, Front Spring parabolic taper leaf;
22	12,000-lb capacity; with shock absorbers
22	Interior Color, Flint or Grey
23	Tow Hook, (2) Front, inside rail frame mounted
24	Frame Rails
25	Front bumper
26	Brake System: Air dual
27	Air compressor air supply line- naturally aspirated
28	Brake Chamber, Spring Rear Parking
29	Brake Lines – color coded nylon
30	Spring Brake Modulator Valve
31	Air Brake ABS, Full Vehicle Wheel Control System
32	Brakes, Front, Air CAM S-cam:
33	Brakes, Rear Air CAM
34	Drain valve twist type
35	Air Pressure Gauge, air 1 and air 2 gauges
36	Air Compressor 13.2 CFM
37	Slack Adjusters, Front Automatic
38	Slack Adjusters, Rear Automatic
39	Trailer Connections: Four-wheel, with hand control
	valve and tractor protection valve
40	Steering Column stationary
41	Steering Wheel 18"
42	Steering Gear power
43	Exhaust System, single, horizontal, stainless steel
	muffler, with catalytic converter, frame mounted
	right side, for 2007 emissions
44	Electrical System 12-Volt, Standard Equipment
45	Data Link Connector for vehicle programming and
	diagnostic in cab
46	Horn, Electric
47	Parking Light, integral with front turn signal and
	rear tail light
48	Starter Switch, electric key operated
49	Stop, Turn, Tail & B/U Lights Dual, Rear,
	Combination with Reflector
50	Turn Signal Switch Self-cancelling, Headlight
	Dimmer
51	Turn Signals, Front includes reflectors and auxiliary
	side turn signals, solid state flasher; flush
	mounted
52	Windshield wiper switch – 2-speed with wash and
	intermittent feature, integral with turn signal switch
53	Windshield wipers single motor electric
54	Wiring, Chassis – color coded and continuously
	numbered
55	Power Point
56	Alternator – brush type, 12 volts 110-amp capacity,
	pad mounted
57	Body Builder Wiring – back of cab, includes sealed
	connectors for tail/amber
	turn/marker/backup/accessory power/ground and
	sealed connector for stop/turn

58	Electric Trailer Brake/Lights accommodation
	package to rear of frame: for combined trailer stop,
	tail, turn, marker light circuits, includes electric
	trailer brake accommodation package with cab
	connections for mounting customer installed electric
	brake unit, less trailer socket
59	Battery System – maintenance free 12-volt
	1300CCA total
60	Radio – AM/FM Stereo with speakers
61	Jump Start Stud
62	Headlights halogen,
63	Switch, Body circuits, MID for bodybuilder
64	Indicator, Low Coolant Level with audible alarm
65	Starting Motor, 12 volts; thermal over-crank
	protection
66	Circuit Breakers Manual-Reset SAE Type III with
	Trip Indicators, Replaces All Fuses Except for 5-
	Amp Fuses
67	Block Heater, Engine 120Volt/1250 Watt
68	Block Heater socket receptacle type
69	Cruise Control
70	Exhaust: Single horizontal, stainless steel muffler,
'	with catalytic converter, frame mounted right side
71	Emission regeneration warning system
/ 1	(actuate/inhibit DPF burn switch preferred)
	(actuate/minore D11 out in Switch preferred)
	Provide a description of the System on Bid Form.
72	Fuel Tank 50 Gallon
73	Over Center Aerial Device- 60'-70 working
, 5	height
74	Upper Controls: an all-weather 3D single stick
'	control with hydraulic enabling lever controls the
	upper boom, lower boom and rotation
75	Lower Controls:
, 5	Individual control levers are located on the
	side of the turntable.
	The lower controls activate lower boom,
	upper boom, and rotation.
	Lower controls are capable of fully overriding the
	platform controls.
76	Engine Throttle Advance:
'0	Automatic two speed engine throttle control.
	Engine advances to a pre-set speed when needed
77	Platform Leveling:
''	A leveling system utilizing hydraulic
	cylinders, wire cable, roller chain, and
	fiberglass rods contained within the booms
	Meets dielectric requirements per ANSI A92.2
78	Lower Boom:
/ 0	
	High strength, rectangular steel tube with a rectangular bi axial enexy racin filement.
	rectangular bi-axial epoxy resin filament
	wound, high strength fiberglass insert with
1	an insulation gap of 18 in.
	a 0 to 100 doomood layyon boom onticed this is
	0 to 102 degrees' lower boom articulation using one (1) double acting hydraulic

	cylinder, equipped with two (2) integral	
	holding valves. Boom rest supports the	
	boom when it is at rest.	
79	Upper Boom:	
	<ul> <li>High strength steel with a rectangular</li> </ul>	
	filament wound fiberglass boom	
	Single acting articulating hydraulic cylinder,	
	with one (1) integral holding valve	
	<ul> <li>Articulation of up to 250 degrees</li> </ul>	
	Stored by a padded boom rest with tie down	
	• Insulation of 20.3 ft.	
80	Boom Compensation System:	
	Maintains the angle of the upper boom	
	while the lower boom is articulated	
	Independently articulated	
81	Lift Cylinders:	
	Lower and upper boom cylinders with	
	integral holding valves and a burst factor of	
	4 to 1	
	Emergency release screws for lowering of	
	booms	
82	Boom Interlock	
02		
	Outriggers must be extended to operate the hoom.	
02	boom  Dedocted and Turntables over rear evic	
83	Pedestal and Turntable: - over rear axle	
	Welded high strength steel with access holes  for maintaining.	
	for maintenance	
	Top and bottom plate bearing surface is	
	machined after welding	
	Fabricated steel turntable and has a steel	
	guard	
	• 10' Transverse Elevator for Over-the-Rear	
<u> </u>	Axle Unit	
84	Continuous and Unrestricted Rotation	
	Hydraulic rotary manifold provides a	
	rotating oil distribution system for	
	continuous and unrestricted rotation	
	• Self-locking worm gear rotation drive with a	
	bi-directional motor.	
	• 7/8-inch external hex shaft	
85	Rotation bearing:	
	Heavy duty "shear ball" rotation bearing	
	with external teeth utilizing polished alloy	
	steel balls	
	Heat treated high-strength steel inner and	
	outer races	
	High strength grade 8 bolts attach inner and	
	outer races to the pedestal and turntable	
86	ANSI Rating	
	Dielectrically tested and certified for	
	operation up to 46,000 volts AC	
87	Hydraulic System	
	Closed-center, parallel-circuit hydraulic	
	system	
L	system	

		Т	
	• 2100 PSI operating pressure		
	• 32-gallon hydraulic oil reservoir with a 200		
	mesh filler neck filter		
	• Suction screen, high pressure filter, 10		
	micron return filter and shut off valve		
	Permanent type hose ends on the hydraulic		
88	hoses		
	Forward Mount on Rear Platform  Platform  Platform  Platform		
89 90	Platform will stow over Rear Platform Platform 24" x 30" x 42"		
90			
	One (1) person, end mounted, fiberglass platform		
	• One (1) outside access step with a non-skid		
	surface		
	Safety harness with lanyard and built in 'D' ring		
	lanyard attachment		
91	Platform scuff pad with non-skid standing surface		
92	Insulated Platform Liner with one (1) inside/outside		
	step for 24" x 30" x 42" Platform: Certified at 50		
	KV AC		
93	Vinyl Platform cover for 24" x 30" Platform		
	Waterproof with internal cord around edge		
94	Auxiliary Let Down:		
95	Insulated Engine Stop/Start controlled form		
	platform		
96	Hot shift power takeoff with indicator light		
97	Electrical mini-box system		
98	Sub frame length as needed for body builder		
99	Tie Down Kit		
100	Heavy Duty A-Frame Outriggers		
	<ul> <li>Hydraulic double acting outriggers including holding valves and two spool</li> </ul>		
	control valve for independent control of		
	each outrigger		
	• 144.4" spread pin to pin and 155.9" to		
	outside of pads at 8" penetration and 42"		
	frame height.		
	13" x 12" swivel type stabilizer pads		
101	48" tread plate flatbed. State Width on Bid Form		
102	12 Ga. tread plate floor		
103	4" structural steel channel cross members on 12"		
	centers		
104	StreetSide compartments		
105	Vertical 40" wide with 5 fixed material hooks 1-3-1		
106	Barn type compartment doors		
107	Curbside compartmentation		
108	40 inches wide with 5 fixed material hooks 1-3-1		
109	Barn type compartment doors		
110	Tool Boxes		
111	94" x 18" high x 18" wide with vertical access door		
112	on street side and curbside		
112	94 long x 12" high x 12" wide with vertical access door on street side and curbside		
113	Boom Rest over Cab		
113	DUUIII KESI UVEI CAU		

114	Light panel assembly at rear	
115	Wheel chock holders	
116	Sign box	
117	Outriggers pad holders	
118	Paint – white to match the cab	
119	ICC rear bumper	
120	Grab handle for stair type side access steps	
121	Insulated platform liner with (1) inside/outside step	
122	Waterproof vinyl platform cover with elastic cord	
123	3-gallon plastic water cask	
124	Mounting bracket for water cask for exterior	
	mounting	
125	Post style cone holders, one each side of body at	
	front bumper	
126	Laminated wood outrigger pad 24" 24" x 1-1'4"	
	with rope handle	
127	Outrigger pad storage brackets	
128	Rubber wheel chocks with eye bolt	
129	Wheel chock brackets for mounting under the body	
130	Heavy duty expanded metal Tree trimmer cab with	
	access steps to top of the cab guard and hand railing	
	around perimeter	
131	Integral wiring and switches in International chassis	
	for electrical accessories	
132	Mud flaps	
133	Hour meter for power take off engagement time	
134	Backup alarm	
135	Push button throttle control, one (1) installed at each	
	side of vehicle at outrigger controls	
136	Amber strobe light with 4" lens and mounting	
125	bracket. 2 front & 2 rear	
137	Pintle Hook and 2 5/6' Ball:	
	Safety chain eyes	
120	Chassis frame reinforcements	
138	7 prong flat blade RV style trailer plug	
139	10 lb fire extinguisher with bracket	
	indicate brand	
1.40	T (2) 0 4 2 M 1	
140	Two (2) Operator's Manuals	

#### **SECTION V. BID FORM**

The Owner will receive electronic bids through the BidNet website, <a href="www.bidnetdirect.com/colorado">www.bidnetdirect.com/colorado</a> prior to the date and time indicated on the front of this document at which time the bids will be publicly opened and read, for furnishing the materials, supplies, equipment and/or services, as shown below and/or attached hereto:

FOB DESTINATION delivered at Grand Junction, Colorado. TRANSPORTATION CHARGES

PREPAID. All in accordance with the bid conditions, special provisions, and specifications attached or as indicated below.

Purchasing Representative:	Susan Hyatt	susann@gjcity.org	970-244-1513		
Price for One (1) Utility B	Bucket Truck with Aeri	ial Device as specified: \$			
Extended Price Written: Dollars					
Year/Manufacture/Model N	lo.:				
<b>DELIVERY:</b> State expected	delivery time after recei	ipt of order days AF	RO		
WARRANTY: Specify W	Varranty and supply ma	nufacturer's documentation for	cab and chassis:		
ADDITIONAL ITEMS:	ITEM 3; INDICATE BA	ASE CHASSIS MODEL:			
	ITEM 5; QUOTE ELEC	CTRIC HYBRID OPTION: \$			
	ITEM 5; PROVIDE BR	RAND AND MODEL NO:			
	ITEM 6; TRANSMISSI	6; TRANSMISSION BRAND AND MODEL:			
	ITEM 8; AXLE BRANI				
	ITEM 71; EMISSION S	SYSTEM DESCR:			
	ITEM 101; TREAD PL	ATE WIDTH:	VIDTH:		
ADDENDA: State number	of Addenda received: _				
DATE					
exempt #98-903544	4.	tion are tax exempt from Colorado			
• The undersigned ce quoted prices.	ertifies that no Federal, S	State, County or Municipal tax wil	I be added to the above		
<ul> <li>Prompt payment di</li> </ul>	scount ofr	percent of the net dollar amount w	rill be offered to the City		
	ertifies and agrees that th nty, and City laws.	nys after the receipt of the invoice.  nis bid is submitted in accordance			
5 Standard Laymont	erms are 1430.				
(Company Name of Bidder – Typed o	or Printed)	(Phone Number of Bidder)			
(Address of Bidder)		(Authorized Agent or Cont	act Name – Typed or Printed)		
(City, State, and Zip Code)		(Authorized Signature)			

(E-mail Address of Agent or Sales Contact)